

Klips for sikkert oppheng av overskytende kabel i kabelstrekk



Accessory for attaching and supporting of excess slack in fiber optic aerial cable network.

Manufactured in highly resistant plastic with UV protection.

May be directly attached to wooden or concrete posts or an existing console (UPB)

With the additional advantage of possible attachment to the steel cable tie clips on the aerial cables.



Installation Options

Directly onto the console with stainless steel tie wrap.





Directly onto the anchoring clamp






Directly onto the post, with stainless steel tie wrap




To guarantee extra stability, it is advised to secure the bottom of the rolled cable



Technical Drawings




Cable Simulations






Field examples



Examples of situations to avoid










Online video demonstration





https://drive.google.com/file/d/105lFdSEamkgMY01Z1xOJ5rpHZSBN_n5E/view

Part Number	Descript	ion				
1010080000005	Clamp for excess slack in FO aerial cables ADSS (Black color RAL9005) _ box with 25 units					
RAL 9005	Tiefschwarz	Jet black	Noir foncé	Negro intenso	Nero intenso	Gitzwart
1010080000006	Clamp for excess slack in FO aerial cables ADSS (Green color RAL6001) _ box with 25 units					
RAL 6001	Smaragdgrün	Emerald green	Vert émeraude	Verde esmeralda	Verde smeraldo	Smaragdgroen
1010080000007	Clamp for excess slack in FO aerial cables ADSS (Red color RAL3016) _ box with 25 units					
RAL 3016	Korallenrot	Coral red	Rouge corail	Rojo coral	Rosso corallo	Koraalrood
1010080000008	Clamp for excess slack in FO aerial cables ADSS (Yellow color RAL1018) _ box with 25 units					
RAL 1018	Zinkgelb	Zinc yellow	Jaune zinc	Amarillo de zinc	Giallo zinco	Zinkgeel

End of Technical Specification V20_Proj FA058





Centex Knutsen Norge AS Olaf Helsets vei 5A, 0694 Oslo Tlf: 23039100 E-post: tilbud@centex.no